

TEST	IN STATE FEE	OUT OF STATE FEE	SECTION	SAMPLE	COMMENTS
Acid Fast Stain	11	11	Bact	Swab, tissue, smear on slide	FAHL, SAHL
Aerobic Culture, farm animal only	18	25	Bact	Swab, tissue, milk	FAHL, SAHL
Anaerobic Culture, farm animal only	18	25	Bact	Swab, tissue, milk	FAHL, SAHL
Anaplasmosis cELISA	10	10	Serology	2 ml serum/7- - 10 ml whole blood	FAHL
Animal Disposal farm animal only	\$0.50 / lb	0.75 / lb	Necropsy	Carcass	FAHL
Antibiotic Sensitivity	12	15	Bact	where appropriate w/bact culture	FAHL, SAHL
Avian Encephalomyelitis	N/C	N/C	Virology	Serum 0.5ml	SAHL
Avian Influenza AGID	N/C	N/C	Serology	Serum 0.5ml	SAHL
Avian Influenza RT-PCR	N/C	N/C	Virology	Swab (trachea) galliformes (poultry)	SAHL, FAHL
Avian Influenza RT-PCR	N/C	N/C	Virology	Swab (cloaca) anseriformes (waterfowl)	SAHL, FAHL
Avian Influenza (Ratites)	N/C	N/C	Virology	Serum 0.5ml	SAHL
Avian Sensitivity Panel			Bact	Where appropriate w/bact culture	SAHL
Bacterial Culture				see aerobic and anaerobic	
Bacterial Culture ID -farm animal only	18	25	Bact	Isolate	FAHL, SAHL
Biopsy, See Histopathology farm animal only			Histology	Tissue in 10% buffered formalin	
Black Leg Screen				see FAT Clostridium....	
Blood Chemistry	Send out	Send out	Send out	Blood, serum	ANTECH
Bluetongue AGID	6	9	Serology	2 ml serum/7- - 10 ml whole blood	FAHL
Bluetongue cELISA	10	25	Serology	2 ml serum/7- - 10 ml whole blood	FAHL
Bovine Coronavirus FAT	17	20	Virology	Intestine- bovine	FAHL
Bovine Leukosis/BLV AGID	6	9	Serology	2 ml serum/7 - -10 ml whole blood	FAHL
Bovine Leukosis/ BLV ELISA	10	15	Serology	2ml serum/7 - -10 ml whole blood	FAHL
Bovine Respiratory Syncytial Virus (BRSV) FAT	17	20	Virology	Lung -all ruminant	FAHL
Bovine Spongiform Encephalopathy	N/C	N/C	send out	Brain stem	CORNELL
Brucella abortus BR	N/C	N/C	Serology	2 ml serum/7 -- 10 ml whole blood	FAHL
Brucella abortus Card	N/C	N/C	Serology	2 ml serum/7- - 10 ml whole blood	FAHL
Brucella abortus BAPA	N/C	N/C	Serology	2 ml serum/7- - 10 ml whole blood	FAHL
Brucella abortus Rivanol	N/C	N/C	Serology	2 ml serum/7 -- 10 ml whole blood	FAHL
Brucella abortus Tube/Plate	NC	N/C	Serology	2 ml serum/7 -- 10 ml whole blood	FAHL
BVD ear notch	Send out	Send out	send out	Ear notch	CORNELL
CAE (cELISA)	6	9	Serology	2 ml serum/7 - -10 ml whole blood	FAHL
CAE/OPP (AGID)	6	9	Serology	2 ml serum/7- - 10 ml whole blood	FAHL
Candida culture	18	25	Bact	Swab, tissue, milk	FAHL, SAHL

TEST	IN STATE FEE	OUT OF STATE FEE	SECTION	SAMPLE	COMMENTS
Caprine Arteritis Encephalitis				see CAE	
CBC, CBC with differential	Send out	send out	Send out	Blood, serum	ANTECH
CEM Culture, prior arrangement			Bact	check with lab 301-600-1548	FAHL
Clostridium- gram stain	20	20	Bact	Impression smear	FAHL , SAHL
Coccidia farm animal only	10	15	Parasitol	Fecal	FAHL
Coronavirus FA	17	20	Virology	Intestine	FAHL
Chronic Wasting Disease (CWD)	Send out	Send out	send out	Brain stem	NVSL, SCWDS
Cryptosporidium Antigen	17	20	Virology	Feces -all species	FAHL
Disposal of carcass farm animal only	\$0.50/lb	\$0.75/lb		see animal disposal	FAHL
Eastern Equine Encephalitis (EEE)	Send out	Send out	send out	Blood	NVSL
EIA (AGID)	6	9	Serology	2 ml serum; 7 - -10 ml whole blood	FAHL, SAHL
EIA ELISA	40	50	Serology	2 ml serum	FAHL
Entymology Identification	N/C	N/C	Entomol	Eggs, immature and adult insects	Annapolis, SAHL
Entomology Identification	N/C	N/C	Entomol	Arachnids, ticks, mites	Annapolis, SAHL
Equine Herpes EHV-1 (PCR)	25	25	Virology	Nasal swab, purple top blood tube -equine	FAHL call lab first 301-600-1548
Equine Herpes Virus FAT (abortion)	17	20	Virology	Tissue -equine	FAHL
Exotic Newcastle (poultry, birds) RT-PCR	N/C	N/C	Virology	Tracheal swab	SAHL
F. A. for Bovine Parvovirus	17	20	Virology	Tissue -bovine	FAHL
F. A. for Bovine RSV	17	20	Virology	Tissue- bovine	FAHL
F. A. for Clostridium chauvoei	17	25	Virology	Tissue- all ruminants	FAHL
F. A. for Clostridium novyi	17	25	Virology	Tissue- all ruminants	FAHL
F.A. for Clostridium septicum	17	25	Virology	Tissue - all ruminants	FAHL
F. A. for Clostridium sordellii	17	25	Virology	Tissue -all ruminants	FAHL
F.A. for Corona virus	17	20	Virology	Intestine	FAHL
F. A. for Cryptosporidium	17	20	Virology	Feces -all species	FAHL
F.A. for Equine Adenovirus	17	20	Virology	Tissue -equine	FAHL
F. A. for Equine Herpes virus- type I	17	20	Virology	Tissue equine	FAHL
F. A. for Leptospira	17	20	Virology	Tissue- all species	FAHL
F. A. for Rabies human exposure	N/C	N/C	send out	Fresh brain (not frozen, not fixed)	DHMH
F.A. for Rabies non-human exposure	N/C	N/C	Virology	Fresh brain (not frozen, not fixed)	FAHL, SAHL
F.A. for TGE	17	20	Virology	Intestine- porcine	FAHL
Fecal culture farm animal only	17	25	Bact	Feces	FAHL, SAHL
Fecal Exam Direct farm animal only	5	6	Parasitol	Feces	FAHL, SAHL

TEST	IN STATE FEE	OUT OF STATE FEE	SECTION	SAMPLE	COMMENTS
Fecal Floatation farm animal	10	15	Parasitol	Feces	FAHL, SAHL
Fecal Occult Blood	20	20	Clin Path	Feces	FAHL
Fecal Baerman farm animal only	18	22	Parasitol	Feces	FAHL
Foal Cite IgG	15	20	Clin Path	Blood	FAHL
Fungal cultures, farm animal only	15	20	Mycology	Hair, skin scrapings, tissue	FAHL, SAHL
Giardia Antigen Assay	15	25	Virology	Feces- all species	FAHL
Histo multiple tissues farm animal only	Send out	Send out	Send out	Tissue in 10% buffered formalin	TVMDL, ANTECH
Histopathology/Biopsy (single tissue) farm animal only	Send out	Send out	Send out	Tissue in 10% buffered formalin	TVMDL, ANTECH
Infectious Bronchitis Virus (IB) (poultry) RT-PCR	N/C	N/C	Virology	Tracheal swab	SAHL
Infectious Bronchitis Virus (IB) (poultry) ELISA	N/C	N/C	Serology	Serum 0.5ml	SAHL
IBD- Infectious Bursal Disease (poultry)	N/C	N/C	Virology	Serum 0.5ml	SAHL
Infectious Laryngotracheitis Virus (ILT) RT-PCR	N/C	N/C	Virology	Tracheal swab	SAHL
Insect Identification	N/C	N/C	Entomol	Insect body in alcohol	MDA PLANT PROTECTION, SAHL
Johne's AGID	9	13	Serology	2 ml serum	FAHL
Johne's FECAL PCR in program	10	NA	Bact	5-20 gms of feces	FAHL
Johne's fecal PCR not in program	25	NA	Bact	5-20 gms of feces	FAHL
Johne's ELISA not in program	6	NA	Serology	Bov,Ov, Cap 2 ml serum/7--10 ml blood	FAHL
Johne's ELISA Program	4.5	NA	Serology	Bov, 2 ml serum/7--10 ml whole blood	FAHL
Leptospira FA	17	25	Virology	Tissue all species	FAHL
Listeria Culture, farm animal	18	25	Bact	Tissue	FAHL
Litter analysis	50	50	Bact	Litter sample	SAHL
Lyme Disease Equine	20	30	Serology	2 ml serum/7 - -10 ml whole blood	FAHL
Mastitis Culture	2	6	Bact	Milk	FAHL
Mycoplasma gallisepticum rapid agglutination plate	N/C	N/C	Serology	Serum 0.5ml	SAHL
Mycoplasma gallisepticum ELISA	N/C	N/C	Serology	Serum 0.5ml	SAHL
Mycoplasma gallisepticum HI	N/C	N/C	Serology	Serum 0.5ml	SAHL
Mycoplasma gallisepticum RT-PCR	N/C	N/C	Virology	Tracheal swab	SAHL
Mycoplasma meleagridis rapid agglutination plate	N/C	N/C	Serology	Serum 0.5ml	SAHL
Mycoplasma milk PCR	Send out	Send out	send out	Milk	Pa State
Mycoplasma synoviae rapid agglutination plate	N/C	N/C	Serology	Serum 0.5ml	SAHL
Mycoplasma synoviae ELISA	N/C	N/C	Serology	Serum 0.5ml	SAHL
Mycoplasma synoviae HI	N/C	N/C	Serology	Serum 0.5ml	SAHL
Mycoplasma synoviae RT-PCR	N/C	N/C	Virology	Tracheal swab	SAHL

TEST	IN STATE FEE	OUT OF STATE FEE	SECTION	SAMPLE	COMMENTS
Necropsy with insurance claim	*375	*525	Necropsy	Carcass	FAHL * disposal fee is additional
Necropsy with Spinal Cord removal	*500	*600	Necropsy	Carcass	FAHL * disposal fee is additional
Necropsy, avian, pet bird	200	250	Necropsy	Carcass	SAHL * disposal fee is additional
Necropsy, deer	*100	*125	Necropsy	Carcass	FAHL * disposal fee is additional
Necropsy, farm animals under 300 lbs	125	150	Necropsy	Carcass	FAHL no disposal fee
Necropsy, farm animals over 300 lbs	175	225	Necropsy	Carcass	FAHL no disposal fee
Necropsy, llama, alpaca under 250 lbs	*125	*150	Necropsy	Carcass	FAHL * minimal disposal fee \$40
Necropsy, llama, alpaca over 250 lbs	*275	*375	Necropsy	Carcass	FAHL * disposal fee is additional
Necropsy, managed animals	*200	*250	Necropsy	Carcass	FAHL * disposal fee is additional
Necropsy, Ratite under 250 lbs	*125	*150	Necropsy	Carcass	FAHL * minimal disposal fee \$40
Necropsy, Ratite over 250 lbs	*275	*375	Necropsy	Carcass	FAHL * disposal fee is additional
Necropsy, WV Farm over 250 lbs		*175	Necropsy	Carcass	FAHL * disposal fee is additional
Necropsy, WV Farm under 250 lbs		*125	Necropsy	Carcass	FAHL * minimal disposal fee \$40
Necropsy -avian, farm poultry	N/C	N/C	Necropsy	Carcass	FAHL, SAHL disposal fee \$0.50/lb
Necropsy- equine under 300lbs	*125	*150	Necropsy	Carcass	FAHL * disposal fee is additional
Necropsy, equine over 300lbs	*275	*375	Necropsy	Carcass	FAHL * disposal fee is additional
Neospora ELISA	6	9	Serology	Serum 2 ml	FAHL
Newcastle Virus RT-PCR	N/C	N/C	Virology	Tracheal swab -avian	SAHL
Newcastle Virus ELISA	N/C	NC	Serology	Serum 0.5ml	SAHL
OPP AGID	6	9	Serology	2 ml serum/7- - 10- ml whole blood	FAHL
Porcine Parvo FAT	17	20	Virology	Tissue	FAHL
Pseudorabies LATEX	Send out	Send out	Send out	Serum 2ml	CORNELL
Pullorum- plate (Salmonella)	NC	NC	Serology	Serum	SAHL
Pullorum- typhoid (Salmonella)	NC	NC	Serology	Serum	SAHL
Rabies human exposure FA	N/C	N/C	Send out	Fresh brain, head, carcass (not frozen)	DHMH
Rabies non-human exposure FA	N/C	N/C	Virology	Fresh brain, head, carcass (not frozen)	FAHL, SAHL
Reovirus, avian ELISA	NC	NC	Virology	Serum	SAHL
Rotavirus ELISA Farm animal	20	30	Virology	Feces- farm animal	FAHL
Salmonella Culture	20	30	Bact	Fresh feces, ligated ileum or jejunum,	FAHL, SAHL
Salmonella pullorum/typhoid rapid agglutination plate	N/C	N/C	Bact	Serum 0.5ml	SAHL
Salmonella pullorum/typhoid Microagglutination	N/C	N/C	Bact	Serum 0.5ml	SAHL
Salmonella Group B,C,D	N/C	N/C	Bact	Tissues, swabs	SAHL
Scrapie- Spongiform Encephalitis	Send out	Send out	Send out	Brain stem	NVSL

TEST	IN STATE FEE	OUT OF STATE FEE	SECTION	SAMPLE	COMMENTS
Skin Scrapings farm animal	10	12	Parasitol	Skin scrapings in an envelope	FAHL
St. Louis Equine Encephalitis	Send out	Send out	Send out	Serum	NVSL
TGE FAT	17	20	Virology	Intestine- porcine	FAHL
Transmissible Gastroenteritis				see TGE	
Urinalysis farm animal only	10	20	Clin Path	10- - 15 ml urine	FAHL, SAHL
Venezualan Equine Encephalitis IGM ELISA	Send out	Send out	Send out	2ml serum/7- - 10 ml whole blood	NVSL
Venezualan Equine Encephalitis VN- NVSL	Send out	Send out	Send out	1ml serum /7- - 10 ml whole blood	NVSL
Vesicular Stomatitis CF	Send out	Send out	Send out	2 ml serum/7- - 10 ml whole blood	CORNELL
Water analysis	50	NA	Bact	Water sample	SAHL
Western Equine Encephalitis IgM ELISA	Send out	Send out	Send out	2 ml serum/7- - 10 ml whole blood	NVSL
Western Equine Encephalitis VN- NVSL	Send out	Send out	Send out	2 ml serum/7 - -10 ml whole blood	NVSL
West Nile-PCR	Send out	Send out	Send out	Blood, csf fluid, brain sp cord, Av:liv, spl, kid	CORNELL
WMT/SCC	5	5	Bact	10 cc milk (individual or bulk sample)	DHMH, Milk Health Division