

**MARYLAND AGRICULTURAL WATER QUALITY COST SHARE PROGRAM
EXTENDED BUFFER WORKSHEET**

Attachment to the Water Quality Project Form (MDA-SO1)			AGREEMENT NUMBER		
Name and Address		SS/FID #	County		
This form is to be used for riparian buffers, including CP-21 and CP-22, which exceed the widths for which the MACS program cost-shares on. The maximum width for a CP-21 buffer is 150 feet and for a CP-22 the width is 150 feet. Anything beyond that must meet certain criteria to be determined below.					
Practice	Area	Buffer Width	Soil Loss (use sediment loss cost-effectiveness formula)	50% Hydric soils (list soils that deem 50% of the buffer area is hydric)*	50% Floodplain (list soils that deem 50% of the buffer area is floodplain)*
391 Riparian Forest Buffer	Eastern Shore (Including Cecil County)	35 feet to 100 feet	WATER QUALITY BENEFIT		
		101 feet to 150 feet		N/A	N/A
	All other areas	35 feet to 100 feet	WATER QUALITY BENEFIT		
		101 feet to 300 feet			
393 Filter Strip	Eastern Shore (Including Cecil County)	35 feet to 100 feet	WATER QUALITY BENEFIT		
		101 feet to 150 feet		N/A	N/A
	All other areas	35 feet to 100 feet	WATER QUALITY BENEFIT		
		101 feet to 300 feet			

*The area to be evaluated is the additional width of the buffer beyond 100 feet for Filter Strips and Riparian Forest Buffers.

General Comments:

The _____ SCD has reviewed this attachment to the Water Quality Project Form (MDA-SO1) and finds it is adequate and appropriate for MACS funded riparian buffers.

Signature (Designated Technician)

Date